

To: Meg Patulski[Patulski.Meg@epa.gov]
Cc: VanGessel, Benjamin[vangessel.benjamin@epa.gov]; Russ, Timothy[Russ.Tim@epa.gov]; Dresser, Chris[Dresser.Chris@epa.gov]; Owen, Chris[Owen.Chris@epa.gov]; Bailey, Chad[bailey.chad@epa.gov]
From: Berry, Laura
Sent: Thur 12/22/2016 3:23:48 PM
Subject: FW: I-70 East Project - Request to FHWA for Additional Information and Preliminary Comments/Observations
[Protocol AirQuality I-70EastDEIS 11Feb13.pdf](#)
[Protocol AirQuality I-70 East FEIS Final.pdf](#)
[I-70E AQ Coop Agency Mtg draft Notes EPA Comments.docx](#)

Ex. 5 - Deliberative Process

Season(s) to be modeled

CDOT will model the same season in the Final EIS as modeled in the Supplemental Draft EIS. Because PM₁₀ (and CO) violations have typically occurred in the winter and the maintenance plans for these pollutants address wintertime conditions, the project team proposes modeling only the winter season. This will reduce the MOVES modeling workload by a factor of four while still modeling the “worst-case” season for air quality in Denver.

Ex. 5 - Deliberative Process

I’m drafting a note now and will use Tim’s thoughts below (Tim has to go to a meeting this morning and said that would help). Tim’s volunteering to send it. I see also that Chris Dresser just replied to Chris Horn again; we can use that as the starting point.

Laura Berry

(734) 214-4858

berry.laura@epa.gov

From: Russ, Timothy
Sent: Thursday, December 22, 2016 10:02 AM
To: Dresser, Chris <Dresser.Chris@epa.gov>; Berry, Laura <berry.laura@epa.gov>; VanGessel,

Benjamin <vangessel.benjamin@epa.gov>

Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>

Subject: RE: I-70 East Project - Request to FHWA for Additional Information and Preliminary Comments/Observations

Hi Everyone,

Ex. 5 - Deliberative Process

The FHWA/CDOT February 13, 2013 draft air quality modeling protocol is attached and I would point you to page 5, under the heading “**Season(s) to be modeled**” which notes:

“Because PM₁₀ (and CO) violations have typically occurred in the winter and the maintenance plans for these pollutants address wintertime conditions, the project team proposes modeling only the winter season. This will reduce the MOVES modeling workload by a factor of four while still modeling the —worst-case season for air quality in Denver.”

I would note that both Region 8 and OTAQ reviewed this draft protocol and only offered the below additional comments:

Tue 3/5/2013 2:40 PM

Russ, Timothy Russ.Tim@epa.gov

RE: I-70 East: Air Quality Coordination - Draft Air Quality Analysis (Revised 2/11/13): EPA Comments

EPA has reviewed the “Protocol Air Quality I-70East DEIS 11Feb13.pdf” (copy attached) and offers the following comments for your consideration (and apologies for not meeting the March 1st requested response date):

A.) Section 3.1 Carbon Monoxide: For CO hotspot modeling, the draft protocol indicates the following at the top of page 3:

“The conformity rule requires modeling of locations that are or will be at level of service D or worse. In the case of the I-70 project, this could be dozens of intersections. Because the project team is proposing to model only the worst-case location, the EPA Regional Administrator will need to approve this approach pursuant to 40 CFR §93.123(a)(1). Similar approval was sought and received for the streamlined approach used for CO hotspot modeling for the T-Rex project.”

Ex. 5 - Deliberative Process

“Denver’s Southeast Corridor project

This project involves the reconstruction and improvement of approximately 20 miles of I-25 and I-225 in the southeast portion of the Denver metro area. The project includes reconstruction and widening of the interstates, reconstruction of seven interchanges, replacement of 11 bridges, and construction of 19.7 miles of double-tracked light rail transit. The air quality scoping process for this project revealed that a literal application of the conformity rule’s hotspot modeling requirements (analysis of all locations at or expected to be at LOS D or worse) would necessitate modeling of 54 intersections. Modeling each of these locations for the 2008 opening day and the 2020 design year, for the Preferred Alternative and No-Action, and for a.m. and p.m. peak hours would have resulted in over 400 model runs.

In order to reduce the modeling workload, the Colorado Department of Transportation and its consultants worked through the interagency consultation process to identify an alternative analysis approach that would capture the worst-case intersections without the need for modeling all of them.³² First, the project corridor was divided into two sections; a northern section, with high volumes and congestion, and a very narrow right-of-way bordered by residential development; and a southern section, with less congestion and a wider right-of-way. In the northern section, the four most congested interchanges were selected for modeling, for both 2008 and 2020. In the southern section, a “worst-case” interchange was selected for modeling, based on congestion, roadway geometry and traffic volumes. A single worst-case model run for this location combined 2008 CO emission rates with 2020 traffic volumes. As a further refinement, it was decided that only the Preferred Alternative in the EIS would be modeled initially; if this alternative did not result in violations of the CO NAAQS, the No-Action alternative would not be modeled. EPA’s Region 8 office in Denver approved this methodology in May 1999. Taken together, the refinements in this methodology are estimated to have reduced the modeling workload by 50 to 75%. No violations of the NAAQS for CO were predicted using the adopted screening procedure. *Southeast Corridor EIS Air Quality Analysis Technical Memorandum*, Carter & Burgess, June 1999.”

B.) Section 4.2. PM₁₀ Quantitative Hotspot Analysis: For the PM₁₀ hotspot modeling, the protocol indicates the following on page 7:

“After reviewing the locations of these three monitors on aerial photographs, the project team proposes to use Commerce City as the background monitor as it best captures the industrial PM₁₀ contributions in the project area and is a reasonable distance from the I-70 corridor (i.e., it may best reflect actual background concentrations, excluding I-70 impacts). It also may be appropriate to use a different monitor or interpolate between these and/or another monitor.”

Ex. 5 - Deliberative Process

C.) Section 4.5 Mobile Source Air Toxics: On page 9 of the draft protocol, the following statement appears:

“CALPUFF is being used rather than AERMOD for the MSAT analysis because AERMOD is not supported for near-roadway applications of MSATs.”

Ex. 5 - Deliberative Process

Also, I would note that same language for the “**Season(s) to be modeled**” appears on page 3 of the Final EIS (FEIS) air quality modeling protocol (please see the attached .pdf file).

With regard to advising FHWA of certain inaccuracies in the “Air Quality NEPA Comparison Report,” I would note the following:

Page 1, section entitled “3 Changes Since the Final EIS” and page 2, first and second paragraphs which state the following:

Through Interagency Consultation, it was confirmed that some of the content of the Final EIS need not be revised based on the updates noted above. Items not updated in this document include the emissions inventory of health-based National Ambient Air Quality Standards (NAAQS), mobile source air toxics (MSATs), and greenhouse gases (GHGs). In the Final EIS, the project examined regional emissions of these pollutants on a broad scale and followed FHWA guidance in *Interim Guidance Update on Mobile Source Air 5 Toxic Analysis in NEPA* (December 6, 2012).

The Final EIS included an emissions inventory of atmospheric carbon dioxide for all alternatives discussed. Though there is new GHG guidance, Interagency Consultation with FHWA, EPA, and APCD confirmed that it is not necessary to repeat this analysis because of the following reasons:

- ☐ Changes to the project design are minimal, so changes to results of analysis at the air quality study area level—which includes the entire project, as well as the surrounding local road network—would not be noticeable
- ☐ The regional air quality inventory analysis is primarily a trend-line comparison between project alternatives. The Final EIS adequately discusses these trends for the use of a NEPA comparison 14 and updates to the analysis for the ROD would not alter previously shown regional air quality trends
- ☐ The new GHG guidance states that projects that have published a Final EIS are not required to update their analysis

Ex. 5 - Deliberative Process

Ex. 5 - Deliberative Process

Once we have agreed on the content/form of the above requests and comment, I would then suggest that we send the requests/comment out from Region 8 (Tim volunteers) with "cc" to other EPA personnel.

Thoughts?

Thanks!

Tim

Tim Russ
Environmental Scientist
USEPA Region 8
Air Program
1595 Wynkoop Street (8P-AR)
Denver, CO 80202-1129
Ph. (303) 312-6479
Fax (303) 312-6064
e-mail: russ.tim@epa.gov

From: Dresser, Chris
Sent: Wednesday, December 21, 2016 1:57 PM
To: Berry, Laura <berry.laura@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>; VanGessel, Benjamin <vangessel.benjamin@epa.gov>
Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>
Subject: RE: CO Moves files for EPA review

Ex. 5 - Deliberative Process

Chris Dresser

U.S. EPA – Region 8

1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone: (303) 312-6385

From: Berry, Laura
Sent: Wednesday, December 21, 2016 1:53 PM
To: Russ, Timothy <Russ.Tim@epa.gov>; Dresser, Chris <Dresser.Chris@epa.gov>; VanGessel, Benjamin <vangessel.benjamin@epa.gov>
Cc: Owen, Chris <Owen.Chris@epa.gov>; Bailey, Chad <bailey.chad@epa.gov>
Subject: FW: CO Moves files for EPA review

Hi all,

Ex. 5 - Deliberative Process

In addition to the query Chris has below (which we can repeat), based on our discussion we should also ask for:

Ex. 5 - Deliberative Process

3. A decoder for which alternatives go with which AERMOD input/output file names

What else? Feel free to reply to all. Tomorrow I can write it up, or R8 can, and we can figure out who should send it... R8 can send w/ a cc to HQ, or we can send, whatever R8 prefers.

Laura Berry

(734) 214-4858

berry.laura@epa.gov

From: Dresser, Chris

Sent: Monday, December 19, 2016 10:30 AM

To: Horn, Chris (FHWA) <Chris.Horn@dot.gov>

Cc: Vanessa Henderson - CDOT <vanessa.henderson@state.co.us>; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com) <Carrie.Wallis@atkinsglobal.com>; Houk, Jeff (FHWA) <Jeff.Houk@dot.gov>; Claggett, Michael (FHWA) <Michael.Claggett@dot.gov>; Perritt, Karen (FHWA) <Karen.Perritt@dot.gov>; Berry, Laura <berry.laura@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>

Subject: RE: CO Moves files for EPA review

Chris and Mike,

Could you also provide the scripts and/or intermediate tables that calculate the volume source emission rates from the MOVES output? It is important for us to understand how the cross-walk between MOVES links and AERMOD sources was performed.

Thanks,

-Chris

Chris Dresser

U.S. EPA – Region 8

1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone: (303) 312-6385

From: Horn, Chris (FHWA) [<mailto:Chris.Horn@dot.gov>]

Sent: Sunday, December 18, 2016 8:51 AM

To: Dresser, Chris <Dresser.Chris@epa.gov>; Russ, Timothy <Russ.Tim@epa.gov>

Cc: Vanessa Henderson - CDOT <vanessa.henderson@state.co.us>; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com) <Carrie.Wallis@atkinsglobal.com>; Houk, Jeff (FHWA) <Jeff.Houk@dot.gov>; Claggett, Michael (FHWA) <Michael.Claggett@dot.gov>; Perritt, Karen (FHWA) <Karen.Perritt@dot.gov>

Subject: RE: CO Moves files for EPA review

Tim and Chris,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017

From: Horn, Chris (FHWA)

Sent: Wednesday, November 23, 2016 8:41 AM

To: 'dresser.chris@epa.gov'; 'russ.tim@epa.gov'

Cc: 'Vanessa Henderson - CDOT'; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com); Houk, Jeff (FHWA); Claggett, Michael (FHWA); Perritt, Karen (FHWA)

Subject: RE: CO Moves files for EPA review

Tim and Chris,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017

From: Horn, Chris (FHWA)

Sent: Friday, November 18, 2016 10:47 AM

To: 'dresser.chris@epa.gov'; 'russ.tim@epa.gov'

Cc: 'Vanessa Henderson - CDOT'; Wallis, Carrie (Carrie.Wallis@atkinsglobal.com); Houk, Jeff (FHWA); Claggett, Michael (FHWA)

Subject: CO Moves files for EPA review

Chris and Tim,

Referred to FHWA

Chris Horn, PE

Senior Area Engineer

Colorado Division

Federal Highway Administration

720-963-3017